


# A Complete Range of Roofline and Cladding

Sky-Lyne allows you to buy the complete roofline and cladding range from one place, because the range of cladding, soffits and fascias is complemented by an extensive choice of trims and accessories.

With over 25 years experience, Sky-Lyne has developed one of the best ranges on the market. It is extruded from high quality PVC-Ue that won't warp, discolour or degrade. A wide range of colours and options, and a huge variety of boards and ancillaries enables us to provide the complete system for virtually any roofline project.



## Why choose Sky-Lyne?

- Over 25 years experience
- A complete system for virtually any roofline project
- Choice of colour finishes
- Easy to install high quality PVC-Ue that won't warp, discolour or degrade

## 5 good reasons to deal with Plaslyne

- Complete range of PVC-U building products
- Reliable stocking
- Simple ordering and nationwide delivery
- Rapid turnaround and short lead times
- One stop shop to reduce your stocking levels

# About Plaslyne

Plaslyne is dedicated to producing a complete range of high quality plastic building products at competitive prices.

Plaslyne is a specialist division of the Epwin Group, one of the UK's largest extruders of building products. Plaslyne was created to provide independent stockists and installers with a complete range of plastic building products from a single, reliable source.

## SIMPLE, EFFICIENT ORDERING


To place an order simply contact our central call centre on **01952 235955**, let us know what you would like to order and it will be processed promptly and accurately.



## RELIABLE DELIVERIES

A 54,000 square foot warehouse, rapid turnaround combined with short lead times, and reliable distribution network means we can guarantee you a first class service. We keep you in touch all the way.

## PLASLYNE PRODUCT RANGE



**1**  
  
CILLS  
AND  
ANCILLARIES

**2**  
  
ROOFLINE  
AND  
CLADDING

**3**  
  
RAINWATER  
SYSTEMS


**4**  
  
INTERNAL  
WINDOW  
BOARDS

**5**  
  
CAVITY  
CLOSER  
SYSTEM

**6**  
  
INTERNAL  
CLADDING




**7**  
  
HIGH  
PERFORMANCE  
CLADDING



FASCIA BOARDS	PART NO	DESCRIPTION	COLOUR	PACK SIZE
 <p><b>7mm</b></p>	FRL150/W	150mm Reveal Liner	Brilliant White	4 x 5m
	FRL175/W	175mm Reveal Liner	Brilliant White	4 x 5m
	FRL200/W	200mm Reveal Liner	Brilliant White	4 x 5m
	FRL225/W	225mm Reveal Liner	Brilliant White	4 x 5m
	FRL250/W	250mm Reveal Liner	Brilliant White	4 x 5m
	FRL354/W	354mm Double Ended Reveal Liner	Brilliant White	2 x 5m
 <p><b>9mm</b></p>	FC150/W	150mm Foam Capover Fascia	Brilliant White	2 x 5m
	FC175/*	175mm Foam Capover Fascia	Brilliant White, Woodgrain, Light Oak, Rosewood and Black Ash	2 x 5m
	FC200/W	200mm Foam Capover Fascia	Brilliant White	2 x 5m
	FC225/*	225mm Foam Capover Fascia	Brilliant White, Woodgrain, Light Oak, Rosewood and Black Ash	2 x 5m
	FC250/W	250mm Foam Capover Fascia	Brilliant White	2 x 5m
	FC300/W	300mm Foam Capover Fascia	Brilliant White	2 x 5m
	FC400/W	400mm Foam Capover Fascia	Brilliant White	1 x 5m
	FC405/W	405mm Double Ended Capover Fascia	Brilliant White, Woodgrain, Light Oak, Rosewood and Black Ash	1 x 5m
	FCC/*	Corner Cover	Brilliant White, Brown, Woodgrain and Light Oak	Pack 10
	FJC/*	Joint Cover	Brilliant White, Brown, Woodgrain and Light Oak	Pack 10
 <p><b>16mm</b></p>	FNR150/W	150mm Foam New/Replace	Brilliant White	2 x 5m
	FNR175/*	175mm Foam New/Replace	Brilliant White, Woodgrain, Light Oak and Black Ash	2 x 5m
	FNR200/W	200mm Foam New/Replace	Brilliant White	2 x 5m
	FNR225/*	225mm Foam New/Replace	Brilliant White, Woodgrain, Light Oak and Black Ash	2 x 5m
	FNR250/W	250mm Foam New/Replace	Brilliant White	2 x 5m
	FNR405/*	405mm Foam New/Replace	Brilliant White, Woodgrain, Light Oak and Black Ash	1 x 5m
	R/EP/HD	Heavy Duty Eaves Protector	Black	10 x 1.5m


Colour Codes: WG = Woodgrain (Mahogany), LO = Light Oak (Sherwood), RW = Rosewood, BA = Black Ash, BL = Black, BR = Brown, FB = Fascia Brown




FASCIA BOARDS	PART NO	DESCRIPTION	COLOUR	PACK SIZE
 <p><b>20mm</b></p>	FJR150/W	150 x 20mm Replacement Fascia	White	2 x 5m
	FJR175/W	175 x 20mm Replacement Fascia	White	2 x 5m
	FJR200/W	200 x 20mm Replacement Fascia	White	2 x 5m
	FJR225/W	225 x 20mm Replacement Fascia	White	2 x 5m
	FJR250/W	250 x 20mm Replacement Fascia	White	1 x 5m
	FJR355/W	335 x 20mm Replacement Fascia Double Ended	White	1 x 5m
	FJR405/W	405 x 20mm Replacement Fascia Double Ended	White	1 x 5m
	FJRC	Corner Cover 500mm	White	2
	FJRJ	Joint Cover 500mm	White	2













FASCIA BOARDS	PART NO	DESCRIPTION	COLOUR	PACK SIZE
 <p><b>16mm</b></p>	FN0150/W	150 x 16mm Ogee	White	2 x 5m
	FN0175/W	175 x 16mm Ogee	White	2 x 5m
	FN0200/W	200 x 16mm Ogee	White	2 x 5m
	FN0225/W	225 x 16mm Ogee	White	2 x 5m
	FN0250/W	250 x 16mm Ogee	White	2 x 5m
	FN0355/W	335 x 16mm Ogee	White	1 x 5m
	FN0405/W	405 x 16mm Ogee	White	1 x 5m
	FNOC	Ogee Corner Cover	White	2
	FNOJ	Ogee Joint Cover	White	2
 <p><b>16mm</b></p>	FBF150/W	150 x 16mm Bullnose Fascia	White	2 x 5m
	FBF175/W	175 x 16mm Bullnose Fascia	White	2 x 5m
	FBF200/W	200 x 16mm Bullnose Fascia	White	2 x 5m
	FBF225/W	225 x 16mm Bullnose Fascia	White	2 x 5m
	FBF250/W	250 x 16mm Bullnose Fascia	White	2 x 5m
	FBF355/W	355 x 16mm Bullnose Fascia Double Ended	White	1 x 5m
	FBF405/W	405 x 16mm Bullnose Fascia Double Ended	White	1 x 5m
	FBOC	Corner Cover 16mm Bullnose	White	2
	FBOJ	Joint Cover 16mm Bullnose	White	2



CELLULAR BOARDS	PART NO	DESCRIPTION	COLOUR	PACK SIZE
 <p><b>9mm</b></p>	FC0150	150mm Ogee Capover	White	2 x 5m
	FC0175	175mm Ogee Capover	White	2 x 5m
	FC0200	200mm Ogee Capover	White	2 x 5m
	FC0225	225mm Ogee Capover	White	2 x 5m
	FC0250	250mm Ogee Capover	White	2 x 5m
	FC0405	405mm Ogee Capover	White	2 x 5m
	FCOC	9mm Ogee Corner Cover	White	Box10
	FCOJ	9mm Ogee Joint Cover	White	Box10
 <p><b>9mm</b></p>	FBB150/W	150mm Bullnose Window Board	White	2 x 5m
	FBB175/W	175mm Bullnose Window Board	White	2 x 5m
	FBB200/W	200mm Bullnose Window Board	White	2 x 5m
	FBB225/W	225mm Bullnose Window Board	White	2 x 5m
	FBB250/W	250mm Bullnose Window Board	White	2 x 5m
	FBB300/W	300mm Bullnose Window Board	White	2 x 5m
	FBB405/W	405mm Bullnose Window Board	White	1 x 5m
	FBEC300/W	300mm Bullnose Window Board End Cap	White	Box 10
	FBEC135/W	135mm Bullnose Window Board End Cap	White	Box 5
 <p><b>9mm</b></p>	FFB150/W	150mm Flat Board	Brilliant White	2 x 5m
	FFB175/*	175mm Flat Board	Brilliant White and Woodgrain	2 x 5m
	FFB200/W	200mm Flat Board	Brilliant White	2 x 5m
	FFB225/*	225mm Flat Board	Brilliant White and Woodgrain	2 x 5m
	FFB250/W	250mm Flat Board	Brilliant White	2 x 5m
	FFB300/W	300mm Flat Board	Brilliant White	2 x 5m
	FFB405/W	405mm Flat Board	Brilliant White	1 x 5m
























SOFFITS	PART NO	DESCRIPTION	COLOUR	PACK SIZE
	R/SB/100/*	100mm Hollow Soffit Board	Standard White, Brilliant White, Fascia Brown, Woodgrain and Light Oak	10 x 5m
	R/SB/300/*	300mm Hollow Soffit Board	Standard White, Brilliant White, Black, Fascia Brown, Woodgrain, Light Oak, Rosewood and Black Ash	5 x 5m
	R/VSB/300/B	300mm Vented Soffit Board	Brilliant White	5 x 5m
	R/ST/*	Starter Trim	Brilliant White, Black, Fascia Brown, Woodgrain, Light Oak, Rosewood and Black Ash	10 x 5m
	R/JT/*	Joint Trim	Brilliant White, Black, Fascia Brown, Woodgrain, Light Oak, Rosewood and Black Ash	10 x 5m
	R/FT	Flat Roof Trim	Brilliant White and Brown	10 x 5m
	P/EJ	External Joint	Brilliant White	20 x 5m
	P/IS	Internal Joint	Brilliant White	20 x 5m
	P/DST	Decorative Starter Trim	Brilliant White	10 x 5m
 <p><b>9mm</b></p>	R/VFB100	100mm Ventilated Soffit Board	White	2 x 5m
	R/VFB150	150mm Ventilated Soffit Board	White	2 x 5m
	R/VFB175	175mm Ventilated Soffit Board	White	2 x 5m
	R/VFB200	200mm Ventilated Soffit Board	White	2 x 5m
	R/VFB225	225mm Ventilated Soffit Board	White	2 x 5m
	R/VFB250	250mm Ventilated Soffit Board	White	2 x 5m
	R/VFB400	405mm Ventilated Soffit Board	White	1 x 5m












Colour Codes: WG = Woodgrain (Mahogany), LO = Light Oak (Sherwood), RW = Rosewood, BA = Black Ash, BL = Black, BR = Brown, FB = Fascia Brown, S = Standard White










CLADDING	PART NO	DESCRIPTION	COLOUR	PACK SIZE
	FS100/W	100mm Open V Joint Cladding	Brilliant White	5 x 5m
	FS150/*	150mm Shiplap	Brilliant White, Woodgrain, Light Oak and Rosewood	5 x 5m
	FVJ100/W	100mm Joint Cover	White	10
	FSC150/W	150mm Joint Cover	White	10
	R/ST/*	Starter Trim	Brilliant White, Black, Fascia Brown, Woodgrain, Light Oak, Rosewood and Black Ash	10 x 5m
	R/ST/HD	Heavy Duty Starter Trim	Brilliant White	25 x 5m
	R/JT/*	Joint Trim	Brilliant White, Black, Fascia Brown, Woodgrain, Light Oak, Rosewood and Black Ash	10 x 5m
	R/FT	Flat Roof Trim	Brilliant White	10 x 5m
	P/EJ	External Joint	Brilliant White	20 x 5m
	P/IS	Internal Joint	Brilliant White	20 x 5m
	FSLUC/*	Universal Channel	White and Woodgrain	10 x 5m
	FSLUCBC	Universal Channel and Battern Cover	White	10 x 5m
	FUT(M)	2 Part Universal Trim (Male)	White	10 x 5m
	FUT(F)	2 Part Universal Trim (Female)	White	10 x 5m
	FECT	External Corner Trim	White	5 x 5m
	FCT(M)	2 Part Corner Trim (Male)	White	5 x 5m
	FCT(F)/*	2 Part Corner Trim (Female)	White and Woodgrain	5 x 5m
	FWST	Wall Starter Trim	White	10 x 5m
	FDT	Drip Trim	White	10 x 5m
	FJT(M)/*	2 Part Joint Trim (Male)	White and Woodgrain	5 x 5m
	FJT(F)	2 Part Joint Trim (Female)	White	5 x 5m
	FCJT	Centre Joint Trim	White	5 x 5m

Colour Codes: WG = Woodgrain (Mahogany), LO = Light Oak (Sherwood), RW = Rosewood, BA = Black Ash, BL = Black, BR = Brown, FB = Fascia Brown, W = White

# Architraves & Trims

TRIMS (FOAM)	PART NO	DESCRIPTION	COLOUR	PACK SIZE
	F45FA/*	45mm Flatback Architrave	Brilliant White, Woodgrain, Light Oak and Rosewood	10 x 5m
	F70FA/*	70mm Flatback Architrave	Brilliant White, Woodgrain, Light Oak and Rosewood	10 x 5m
	F95FA/*	95mm Flatback Architrave	Brilliant White, Woodgrain, Light Oak and Rosewood	5 x 5m
	F25D/*	25mm 'D' Section	Brilliant White, Woodgrain, Light Oak and Rosewood	25 x 5m
	F12Q/*	12mm Quadrant	Brilliant White and Woodgrain	20 x 5m
	F17Q/*	17.5mm Quadrant	Brilliant White, Woodgrain, Light Oak and Rosewood	20 x 5m
	FR/W	15 x 13mm Rectangle	Brilliant White	25
	P/FR/25x20/B	25 x 20mm Foam Rectangle	Brilliant White	25
	P/FR/25x30/B	25 x 30mm Foam Rectangle	Brilliant White	25
	FEF/W	20mm Edge Fillet	Brilliant White	25
	F50x50/W	50 x 50mm Foam Angle	Brilliant White	10
	F25x25/W	25 x 25 Foam Angle	Brilliant White	20

ANGLES	PART NO	DESCRIPTION	COLOUR	PACK SIZE
	P/HA/100x80/*	100 x 80mm Hollow Angle	Dove White, Brilliant White, Standard White, Woodgrain, Light Oak and Rosewood	5 x 5m
	P/SA/23x65/*	23 x 65mm Solid Angle	Brilliant White and Standard White	10 x 5m
	P/SA/32x32/*	32 x 32mm Solid Angle	Brilliant White, Standard White and Fascia brown	10 x 5m
	P/FL/50/*	50mm Flexi Angle	Brilliant White, Standard White, Woodgrain, Light Oak and Rosewood	10 x 5m
	P/FL/70/*	70mm Flexi Angle	Brilliant White and Standard White	10 x 5m
	P/FL/100/*	100mm Flexi Angle	Brilliant White, Standard White, Woodgrain, Light Oak and Rosewood	10 x 5m
	P/FL/120/*	120mm Flexi Angle	Brilliant White and Standard White	10 x 5m

Colour Codes: WG = Woodgrain (Mahogany), LO = Light Oak (Sherwood), RW = Rosewood, BA = Black Ash, BL = Black, BR = Brown, FB = Fascia Brown, W = White, S = Standard White



## Manufacturing Process

Sky-Lyne cellular PVC-U profiles are manufactured by the inward foaming process of extruding and expanding PVC-U, cooling and forming to section and cutting to length.

Co-extrusion of a rigid PVC skin over the cellular core results in an improved surface finish and superior impact resistance.

**Sky-Lyne white cellular profiles are lead free.**

## Tried and Tested

### Fire

Sky-Lyne cellular plastics have been tested to BS.476 Part 7: 1987 and gained a Class 1 fire rating.

### Thermal Movement

The co-efficient of linear expansion under test conditions for Sky-Lyne profiles is  $5 \times 10^{-5}$  per degree C.

Thermal movement of Sky-Lyne profiles is largely absorbed within the material and the fixing system. An expansion gap of 4mm is recommended at each junction or corner. Fixing should not take place below 0°C or above 30°C. Cellular profiles should not be installed where temperatures are likely to exceed 50°C.

### Impact

Sky-Lyne profiles have been tested for impact in accordance with BS7619: 1993 and exceeded the minimum standard.

### Insulation

Sky-Lyne cellular PVC-U profiles have a thermal conductivity of 0.06W/Mk which is superior to wood, concrete, brick and plasterboard.

### Durability

Sky-Lyne cellular PVC-U profiles have been independently tested by the British Board of Agreement (BBA) and are judged to retain their decorative qualities for 20 years with only minor changes in appearance and strength.

### Ventilation

Sky-Lyne ventilated profiles conform with the recommendations of the 1989 edition of BS.5250 and with the current Building Regulations 1994 (England and Wales), the Building Standards 1990 (Scotland) and the Building Regulation 1994 (Northern Ireland).

## Fixing Recommendations

The thickness of 16mm & 20mm fascias means they do not require a supporting backboard. Minimum fixings should be with 2 x 65mm stainless steel annular ring-shank nails with white plastic heads or capped screws into rafter feet at centres not exceeding 600mm.

Fix 9mm cover boards with 2 x 50mm stainless steel angular ring-shank nails into sound support timbers at centres not exceeding 600mm. Insecure backings should be replaced before installation of overcapping boards.

Overcapping profiles can be used for new-build installation, but a backing board of at least 12mm marine plywood must be provided.

9mm soffit boards should be fixed using 40mm stainless steel angular ring-shank nails at centres not exceeding 600mm along the length and 200mm across the width.

Cladding should be fixed with 33mm x 2mm stainless steel angular ring-shank nails using the fixing groove provided.

## Environmental Information

Sky-Lyne PVC-U profiles DO NOT contain CFC's nor are CFC's produced during the extrusion process. Sky-Lyne PVC-U profiles are used to replace timber products therefore preserving natural resources. All PVC-U profiles have a very long lifespan at the end of which they are fully recyclable.

Sky-Lyne cellular PVC formulations DO NOT contain lead.

Profiles are not biodegradable but offcuts can be safely disposed off in landfill sites or by modern incineration with adequate filtration.

## Product Range

All profiles are supplied in 5m lengths as standard. Sky-Lyne provide a range of colours to choose from, White, Mahogany, Light Oak, Black and Rosewood. Where practical profiles are supplied with a lo-tac protective film applied to the outer surface which should be removed following installation.

## Quality Assurance

Sky-Lyne PVC-U profiles are designed and manufactured to stringent quality control standards. They have been tested and achieve the requirements stipulated for cellular PVC-U in BS7619 which encompasses composition, weather resistance, colour fastness, surface finish, impact and fire performance.



BS7619  
License No. KM 33730

# Quick Product Reference

Part No.	Description	Page
F12Q/*	12mm Quadrant	12
F17Q/*	17.5mm Quadrant	12
F25x25W	25 x 25mm Foam Angle	12
F25D/*	25mm 'D' Section	12
F45FA/*	45mm Flatback Architrave	12
F50x50/W	50 x 50mm Foam Angle	12
F70FA/*	70mm Flatback Architrave	12
F95FA/*	95mm Flatback Architrave	12
FBB150/W	150mm Bullnose Window Board	7
FBB175/W	175mm Bullnose Window Board	7
FBB200/W	200mm Bullnose Window Board	7
FBB225/W	225mm Bullnose Window Board	7
FBB250/W	250mm Bullnose Window Board	7
FBB300/W	300mm Bullnose Window Board	7
FBB405/W	405mm Bullnose Window Board	7
FBEC135/W	135mm Bullnose Window Board End Cap	7
FBEC300/W	300mm Bullnose Window Board End Cap	7
FBF150/W	150 x16mm Bullnose Fascia	5
FBF175/W	175 x16mm Bullnose Fascia	5
FBF200/W	200 x16mm Bullnose Fascia	5
FBF225/W	225 x16mm Bullnose Fascia	5
FBF250/W	250 x16mm Bullnose Fascia	5
FBF355/W	355 x16mm Bullnose Fascia	5
FBF405/W	405 x16mm Bullnose Fascia	5
FBOC	Corner Cover 16mm Bullnose	5
FBOJ	Joint Cover 16mm Bullnose	5
FC150/W	150mm Foam Capover Fascia	3
FC175/*	175mm Foam Capover Fascia	3
FC200/W	200mm Foam Capover Fascia	3
FC225/*	225mm Foam Capover Fascia	3
FC250/W	250mm Foam Capover Fascia	3
FC300/W	300mm Foam Capover Fascia	3
FC400/W	400mm Foam Capover Fascia	3
FC405/W	405mm Double Ended Capover Fascia	3
FCC/*	Corner Cover	3
FCJT	Centre Joint Trim	11
FCO150	150mm Ogee Capover	7
FCO175	175mm Ogee Capover	7
FCO200	200mm Ogee Capover	7
FCO225	225mm Ogee Capover	7
FCO250	250mm Ogee Capover	7
FCO405	405mm Ogee Capover	7
FCOC	9mm Ogee Corner Cover	7
FCOJ	9mm Ogee Joint Cover	7
FCT(F)	2 Part Corner Trim (Female)	11
FCT(M)	2 Part Corner Trim (Male)	11
FDT	Drip Trim	11
FECT	External Corner Trim	11
FEF/W	20mm Edge Fillet	12
FFB150/W	150mm Flat Board	7
FFB175/*	175mm Flat Board	7
FFB200/W	200mm Flat Board	7
FFB225/*	225mm Flat Board	7
FFB250/W	250mm Flat Board	7
FFB300/W	300mm Flat Board	7
FFB405/W	405mm Flat Board	7
FJC/*	Joint Cover	7
FJR150/W	150 x 20mm Replacement Fascia	4
FJR200/W	200 x 20mm Replacement Fascia	4
FJR175/W	175mm Replacement Fascia	3
FJR225/W	225 x 20mm Replacement Fascia	4
FJR250/W	250 x 20mm Replacement Fascia	4
FJR355/W	335 x 20mm Replacement Fascia Double Ended	4
FJR405/W	405 x 20mm Replacement Fascia Double Ended	4
FJRC	Corner Cover 500mm	4
4FJRJ	Joint Cover 500mm	4

Part No.	Description	Page
FJT(F)/*	2 Part Joint Trim (Female)	11
FJT(M)/*	2 Part Joint Trim (Male)	11
FNOC	Ogee Corner Cover	5
FN0J	Ogee Joint Cover	5
FN0150/W	150 x 16mm Ogee	5
FN0175/W	175 x 16mm Ogee	5
FN0200/W	200 x 16mm Ogee	5
FN0225/W	225 x 16mm Ogee	5
FN0250/W	250 x 16mm Ogee	5
FN0355/W	355 x 16mm Ogee	5
FN0405/W	405 x 16mm Ogee	5
FNR150/W	150 x 16mm Foam New/Replace	3
FNR175/*	175 x 16mm Foam New/Replace	3
FNR200/W	200 x 16mm Foam New/Replace	3
FNR225/*	225 x 16mm Foam New/Replace	3
FNR250/W	250 x 16mm Foam New/Replace	3
FNR405/*	405 x 16mm Foam New/Replace	3
FR/W	15 x 13mm Rectangle	12
FRL150/W	150mm Reveal Liner	3
FRL175/W	175mm Reveal Liner	3
FRL200/W	200mm Reveal Liner	3
FRL225/W	225mm Reveal Liner	3
FRL250/W	250mm Reveal Liner	3
FRL354/W	354mm Double Ended Reveal Liner	3
FS100/W	100mm Open V Joint Cladding	11
FS150/*	150mm Shiplap	11
FSC150/W	150mm Joint Cover	11
FSLUC/*	Universal Channel	11
FSLUCBC	Universal Channel and Battern Cover	11
FUT(F)	2 Part Universal Trim (Female)	11
FUT(M)	2 Part Universal Trim (Male)	11
FVJ100/W	100mm Joint Cover	11
FWST	Wall Starter Trim	11
P/DST	Decorative Starter Trim	9
P/EJ	External Joint	9
P/EJ	External Joint	11
P/FL/50/*	50mm Flexi Angle	12
P/FL/70/*	70mm Flexi Angle	12
P/FL/100/*	100mm Flexi Angle	12
P/FL/120/*	120mm Flexi Angle	12
P/FR/25x20/B	25 x 20mm Foam rectangle	12
P/FR/25x30/B	25 x 30mm Foam rectangle	12
P/HA/100x80/*	100 x 80mm Hollow Angle	12
P/IS	Internal Joint	9
P/IS	Internal Joint	11
P/SA/23x65/*	23 x 65mm Solid Angle	12
P/SA/32x32/*	32 x 32mm Solid Angle	12
R/EP/HD	Heavy Duty Eaves Protector	3
R/FT	Flat Roof Trim	9
R/FT	Flat Roof Trim	11
R/JT/*	Joint Trim	9
R/JT/*	Joint Trim	11
R/SB/100/*	100mm Soffit Board	9
R/SB/300/*	300mm Soffit Board	9
R/SB/300/T	300mm Hollow Soffit (taped surface)	9
R/ST/*	Starter Trim	9
R/ST/*	Starter Trim	11
R/ST/HD	Heavy Duty Starter Trim	11
R/VFB100	100mm Ventilated Soffit Board	9
R/VFB150	150mm Ventilated Soffit Board	9
R/VFB175	175mm Ventilated Soffit Board	9
R/VFB200	200mm Ventilated Soffit Board	9
R/VFB225	225mm Ventilated Soffit Board	9
R/VFB400	405mm Ventilated Soffit Board	9
R/VSB/300/B	300mm Vented Soffit Board	9